





WIRE HARNESS ASSEMBLY JIGS.

CONTACT US

RS AUTOMATION.,CO.,LTD.

RS(XIAMEN)IMPORT & EXPORT CO.,LTD.

Tel:+865927126865 Website:www.cable-peeler.com

Email:info@cable-peeler.com

Address:Room202,2F, No.193-3,Tong ji North road,Tong' an

District, 361100,Xiamen City,China.

RONGSEN AUTOMATION &CONNECTIVITY PVT.LTD.

Tel:+865927126865 Website:www.rongsenac.com

Email:info@rongsenac.com

Address:Room202,2F, No.193-3,Tong ji North road,Tong' an

District, 361100,Xiamen City,China.

BS Winne








RS Wiring Harness **Assembly Jigs**

>>> 2022









	11
:5XM	→ 6000
Maria I	



Part Number

RS-TB011

Part Number

RS-TB012

Part Number

Part Number

Part Number

RS-TB018

Part Number

RS-TB019


































Description

End fork U35Pin

Description

End fork U40Pin

Description

Description

Part Number Description

Description



Easier Wiring Harnesses Making

Specification

electroplate(galvanize,nickelage,chromeplate),scr

customized) (U Size rule: U2- U36MM, interval

2MM) (U Size rule: U5- U50MM, interval 5MM)

Specification

electroplate(galvanize,nickelage,chromeplate),scr

customized) (U Size rule: U2- U36MM, interval

2MM) (U Size rule: U5- U50MM, interval 5MM)

Specification

electroplate(galvanize,nickelage,chromeplate),scr

customized) (U Size rule: U2- U36MM, interval

2MM) (U Size rule: U5-U50MM, interval 5MM)

Specification

electroplate(galvanize,nickelage,chromeplate),scr

customized) (U Size rule: U2- U36MM, interval

Specification

electroplate(galvanize,nickelage,chromeplate),scr

Specification

Specification

Specification

Specification

Specification

2MM,J Size rule: J5- J50MM, interval 5MM)

2MM,U Size rule: U5- U50MM, interval 5MM)

Material: iron electroplate and Stainless steel

customized) J Size rule: J2- J36MM, interval

2MM,J Size rule: J5- J50MM, interval 5MM)

Material: iron electroplate and Stainless steel

ew thread 22MM (Special size can be

Function Description

Use for branches and

end mount(The bottom

is used with a fixed bar

Function Description

Use for branches and

end mount (The bottom

is used with a fixed bar

Function Description

Function Description

Function Description

Function Description

or a bend fixture)

or a bend fixture)



KS-1B015	05Pin	is used with a fixed bar or a bend fixture)
art Number	Description	Function Description

RS-TB016	J-type end fork 10Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) J Size rule: J2-J36MM, interval 2MM.J Size rule: J5-J50MM, interval 5MM)
		fixture)	ZMM,J SIZE rule: JS- JSUMM, INTERVALSMM)

RS-TB017	J-type end fork 15Pin	Use for branches and end mount(The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) J Size rule: J2-J36MM, interval 2MM,J Size rule: J5-J50MM, interval 5MM)
		or a perior fixture)	ZMM,J Size rule: JS- JSUMM, Interval SMM)

J-type end fork 20Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) J Size rule: J2-J36MM, interval 2MM,J Size rule: J5-J50MM, interval 5MM)
--------------------------	--	--

eı	Description	Function Description	Specification
)	J-type end fork 25Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) J Size rule: J2- J36MM, interval


Function Description

		i unicaion bescription
S-TB020	J-type end fork 30Pin	Use for branches and end mount (The botton is used with a fixed bar or a bend fixture)


Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) J Size rule: J2- J36MM, interval 2MM, J Size rule: J5- J50MM, interval 5MM)

END JIGS






Description



Function Description




Specification



Part Number

RS-TB021



Description


Description

Description


Description

Description


Description







Part Number




Function Description


Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM. interval 2MM) (U Size rule: U5- U50MM,

Specification

Specification











Three pin end RS-TB025 fork U20- L20



Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)







Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)

Specification

Specification






Part Number

Part Number

Part Number

Part Number

Part Number




Function Description

Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)







Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)

Specification Material: iron electroplate and Stainless steel

Specification



Three pin end RS-TB029 fork U40- L40

Use for T-type branches (The bottom is used with a fixed bar or a bend fixture) **Function Description**

Function Description

electroplate(galvanize.nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM) Specification



Three pin end RS-TB030 fork U45- L45

Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)

Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number Description

Reliable & Stable Assistant






1 h	Part Number	Description	Function Description	Specification
L	RS-TB031	Three pin end fork U50- L50	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)
bilit	Part Number	Description	Function Description	Specification
Ų.	RS-TB032	Four pin end fork U10- L10	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)
In he	Part Number	Description	Function Description	Specification
530 <u> </u>	RS-TB033	Four pin end fork U15- L15	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)
L. ber	Part Number	Description	Function Description	Specification
	RS-TB034	Four pin end fork U20- L20	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)
1 13	Part Number	Description	Function Description	Specification
	RS-TB035	Four pin end fork U25- L25	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)
1 1	Part Number	Description	Function Description	Specification
W	RS-TB036	Four pin end fork U30- L30	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)
1 14	Part Number	Description	Function Description	Specification
W	RS-TB037	Four pin end fork U35- L35	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) J Size rule: J2- J36MM, interval 2MM,J Size rule: J5- J50MM, interval 5MM)
1 1	Part Number	Description	Function Description	Specification
W	RS-TB038	Four pin end fork U40- L40	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval
	Part Number	Description	Function Description	Specification
Ų-	RS-TB039	Plastic spring Hang clip (unilateral) U10	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM
	Part Number	Description	Function Description	Specification
U	RS-TB040	Plastic spring Hang clip (unilateral) U15	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM

0.0	Part Number	Description	Function Description	Specification
Ÿ	RS-TB042	Plastic spring Hang clip U20	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM
5 A	Part Number	Description	Function Description	Specification
	RS-TB043	Plastic spring Hang clip U25	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM
(n) (f)	Part Number	Description	Function Description	Specification
	RS-TB044	Plastic spring Hang clip U30	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM
	Part Number	Description	Function Description	Specification
Ÿ	RS-TB045	Plastic spring Hang clip U40	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM
	Part Number	Description	Function Description	Specification
Ų	RS-TB046	Plastic spring Hang clip U50	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM
00	Part Number	Description	Function Description	Specification
	RS-TB047	Plastic Hang clip U20	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM
00	Part Number	Description	Function Description	Specification
	RS-TB048	Plastic Hang clip U25	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM
00	Part Number	Description	Function Description	Specification
	RS-TB049	Plastic Hang clip U30	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM
00	Part Number	Description	Function Description	Specification
Ų	RS-TB050	Silicone sheet Hang clip U6	Use for single wire (Keep cable tidy)	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM
	Part Number	Description	Function Description	Specification
U	RS-TB051	Silicone sheet Hang clipU10	Use for single wire (Keep cable tidy)	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM







COMMON JIGS

T SOM	Part Number	Description	Function Description	Specification
11000	RS-CG001	2pin fork	Use for end sheath mount	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leglength: 110MM and 130MM screw thread:35MM pin interval: 4mm (Special size can be customized)
III SOM	Part Number	Description	Function Description	Specification
110000	RS-CG002	3pin fork	Use for end sheath mount	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM pin interval: 4mm (Special size can be customized)
IIII com	Part Number	Description	Function Description	Specification
11086	RS-CG003	4pin fork	Use for end sheath mount	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM pin interval: 4mm (Special size can be customized)
4544	Part Number	Description	Function Description	Specification
0168E	RS-CG004	Plastic fork 2pin	Use for end sheath mount	Material: ABS+iron electroplate+Stainless steel (galvanize,nickelage,chromeplate) pin interval: 4mm
4500	Part Number	Description	Function Description	Specification
ocses Colea	RS-CG005	Plastic fork 3pin	Use for end sheath mount	Material: ABS+iron electroplate+Stainless steel (galvanize,nickelage,chromeplate) pin interval: 4mm
45164	Part Number	Description	Function Description	Specification
9000	RS-CG006	Plastic fork 4pin	Use for end sheath mount	Material: ABS+iron electroplate+Stainless steel (galvanize,nickelage,chromeplate) pin interval: 4mm

299 5090	Part Number	Description	Function Description	Specification
11000	RS-CG007	U-type jig U2	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
SIM SOME	Part Number	Description	Function Description	Specification
11000	RS-CG008	U-type jig U5	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
TOME THE SOME	Part Number	Description	Function Description	Specification
11000	RS-CG009	U-type jigU10	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
1887 5000	Part Number	Description	Function Description	Specification
10000	RS-CG010	U-type jigU15	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread:35MM (Special size can be customized)
2000 5000	Part Number	Description	Function Description	Specification
110001	RS-CG011	U-type jig U20	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
25W 50W	Part Number	Description	Function Description	Specification
11000	RS-CG012	U-type jig U25	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread:35MM (Special size can be customized)
2000 - 1 2000	Part Number	Description	Function Description	Specification
3000	RS-CG013	U-type jig U30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
sou L. I	Part Number	Description	Function Declaration	Specification
11000	RS-CG014	U-type jig U35	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread::35MM (Special size can be customized)
4000	Part Number	Description	Function Description	Specification
11088	RS-CG015	U-type jig U40	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)





50005-4	Part Number	Description	Function Description	Specification
1,1000	RS-CG017	U-type jig U50	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread:35MM (Special size can be customized)
I t some	Part Number	Description	Function Description	Specification
11000	RS-CG018	J-type J05	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread: 35MM (Special size can be customized)
TOMAS 50008	Part Number	Description	Function Description	Specification
11088	RS-CG019	J-type J10	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread: 35MM (Special size can be customized)
1 1 som	Part Number	Description	Function Description	Specification
15000	RS-CG020	J-type J15	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread: 35MM (Special size can be customized)
1 1 50tes	Part Number	Description	Function Description	Specification
2000	RS-CG021	J-type J20	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
h +.1	Part Number	Description	Function Description	Specification
2500 SOM	RS-CG022	J-type J25	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) L length: 110MM and 130MM screw thread:35N (Special size can be customized)
Some In 1 some	Part Number	Description	Function Description	Specification
30AM	RS-CG023	J-type J30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread: 35MM (Special size can be customized)
1000 111 tour	Part Number	Description	Function Description	Specification
11000	RS-CG024	3pin U-type jig U10- L10	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread: 35MM (Special size can be customized)
15101 1 1 1 50NN	Part Number	Description	Function Description	Specification
11000	RS-CG025	3pin U-type jig U15- L15	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread: 35MM (Special size can be customized)
2001 1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Part Number	Description	Function Description	Specification
11000	RS-CG026	3pin U-type jig U20- L20	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)

	place	Part Number	Description	Function Description	Specification
V.	25MM SCMM	RS-CG027	3pin U-type jig U25- L25	Function Description Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
Ì	our D. House	Part Number	Description	Function Description	Specification
P	11009	RS-CG028	in U-type jig U30- L30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread: 35MM (Special size can be customized)
	mult It	Part Number	Description	Function Description	Specification
	35368 GOMES	RS-CG029	3pin U-type jig U35- L35	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread:35MM (Special size can be customized)
	4000) Leon	Part Number	Description	Function Description	Specification
	11000	RS-CG030	pin U-type jig U40- L40	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread::35MM (Special size can be customized)
1	alt.	Part Number	Description	Function Description	Specification
5	1100A	RS-CG031	3pin U-type jig U45- L45	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread::35MM (Special size can be customized)
	soul If	Part Number	Description	Function Description	Specification
	11000	RS-CG032	3pin U-type jig U50- L50	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
	cold 1 room	Part Number	Description	Function Description	Specification
	11000	RS-CG033	3pin U-type jig U60- L60	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
)(1000 1 1 1 5000	Part Number	Description	Function Description	Specification
0	1100M	RS-CG034	4pin U-type jig U10- L10	Use for long cable hanging and tidying	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
	1500 111 5000	Part Number	Description	Function Description	Specification
C	11000	RS-CG035	4pin U-type jig U15- L15	Use for long cable hanging and tidying	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread:35MM (Special size can be customized)
	20MM 1 1 50MM	Part Number	Description	Function Description	Specification
	11000	RS-CG036	4pin U-type jig U20- L20	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread:35MM (Special size can be customized)








ME.	4.0	Part Number	Description	Function Description	Specification
	25961 50966	RS-CG037	4pin U-type jig U25- L25	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread:35MM (Special size can be customized)
15	sont I tilt som	Part Number	Description	Function Description	Specification
	110000	RS-CG038	4pin U-type jig U30- L30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
	2008 111 com	Part Number	Description	Function Description	Specification
		RS-CG039	4pin U-type jig U35- L35	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread:35MM (Special size can be customized)
3	40MM 65MM	Part Number	Description	Function Description	Specification
	11089	RS-CG040	4pin U-type jig U40- L40	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread:35MM (Special size can be customized)
	45000 117 7000	Part Number	Description	Function Description	Specification
	11000	RS-CG041	4pin U-type jig U45- L45	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread: 35MM (Special size can be customized)
70	500M	Part Number	Description	Function Description	Specification
	11099	RS-CG042	pin U-type jig U50- L50	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) length: 110MM and 130MM screw thread:35N (Special size can be customized)
	scand T 7000	Part Number	Description	Function Description	Specification
7/0	11000	RS-CG043	4pin U-type jig U60- L60	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread: 35MM (Special size can be customized)
	03	Part Number	Description	Function Description	Specification
	11000	RS-CG044	Terminal fixing jig Ø3	Use for fixing round hole terminals	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
	04	Part Number	Description	Function Description	Specification
	110991	RS-CG045	Terminal fixing jigØ4	Use for fixing round hole terminals	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)
	0540MM	Part Number	Description	Function Description	Specification
	110581	RS-CG046	Terminal fixing jigØ5	Use for fixing round hole terminals	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)

6 - 40MM	Part Number	Description	Function Description	Specification
LICANA	RS-CG047	Terminal fixing jigØ6	Use for fixing round hole terminals	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread: 35MM (Special size can be customized)
08-100M	Part Number	Description	Function Description	Specification
11000	RS-CG048	Terminal fixing jigØ8	Use for fixing round hole terminals	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread:35MM (Special size can be customized)
†1 45m † 11	Part Number	Description	Function Description	Specification
10000	RS-CG049	Bend fixture 2pin	Use for end sheath mount,bendable	Material: ABS+galvanize screw thread 28mm (Special color can be customized)
4530(Part Number	Description	Function Description	Specification
TOOME	RS-CG050	Bend fixture 3pin	Use for end sheath mount,bendable	Material: ABS+galvanize screw thread 28mm (Special color can be customized)
	Part Number	Description	Function Description	Specification
Sonn	RS-CG051	Bend fixture L50	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)
	Part Number	Description	Function Description	Specification
7000	RS-CG052	Bend fixture L70	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)
The	Part Number	Description	Function Description	Specification
90M	RS-CG053	Bend fixture L90	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)
	Part Number	Description	Function Description	Specification
- con-	RS-CG054	Bend fixture 70	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)
	Part Number	Description	Function Description	Specification
HOME	RS-CG055	Bend fixture 90	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)
1555	Part Number	Description	Function Description	Specification
			garrino,	





	_	3		Į		
_		-4			٠,	
		<u></u>	乙	乙	<u> </u>	囚



Easier Wiring Harnesses Making

BASE JIGS

1 sow	Part Number	Description	Function Description	Specification
90acd	RS-DZ001	T-type base fork 2pin	Use for end sheath mount,lock on the	Use for end sheath mount,lock on the tooling plate with screw.
III 1 som	Part Number	Description	Function Description	Specification
SOUN	RS-DZ002	J-type J30	Use for end sheath mount,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM pin interval: 4mm Base dimension:43mm*20mm (Special size can be customized)
IIII sow	Part Number	Description	Function Description	Specification
SCOM	RS-DZ003	T-type base fork 4pin	Use for end sheath mount,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM pin interval: 4mm Base dimension:43mm*20mm (Special size can be customized)
)//Tsom	Part Number	Description	Function Description	Specification
SOM	RS-DZ004	T-type base fork V03	Use for end sheath mount, lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:43mm*20mm (Special size can be customized)
50M	Part Number	Description	Function Description	Specification
SM9 SM0	RS-DZ005	T-type base fork U05	Use for cable branch and locating, lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:43mm*20mm (Special size can be customized)
DM:	Part Number	Description	Function Description	Specification
CHOR	RS-DZ006	T-type base fork U10	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:43mm*20mm (Special size can be customized)

	11 5150			10167H-101
15MM 50MM	Part Number	Description	Function Description	Specification
9.004	RS-DZ007	T-type base fork U15	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:43mm*20mm (Special size can be customized)
1000 0 0000	Part Number	Description	Function Description	Specification
	RS-DZ008	L-type base 4pin fork U10	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
15mg Hill Sound	Part Number	Description	Function Description	Specification
	RS-DZ009	L-type base 4pin fork U15	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
20M 4 50M	Part Number	Description	Function Description	Specification
2000	RS-DZ010	L-type base 4pin fork U20	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
25W4 1 50M	Part Number	Description	Function Description	Specification
1000	RS-DZ011	L-type base 4pin fork U25	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
traft#	Part Number	Description	Function Description	Specification
300M	RS-DZ012	L-type base 4pin fork U30	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
N. M	Part Number	Description	Function Description	Specification
	RS-DZ013	L-type base 4pin fork U35	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
4000 III II	Part Number	Description	Function Description	Specification
	RS-DZ014	L-type base 4pin fork U40	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
	Part Number	Description	Function Description	Specification
SON	RS-DZ015	L-type base 4pin fork U45	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
100 miles	Part Number	Description	Function Description	Specification
100 mg				
50M - 70M	RS-DZ016	L-type base 4pin fork U50	Use for cable branch and locating, lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)








1040 Sons	Part Number	Description	Function Description	Specification
	RS-DZ017	L-type base 3pin fork U10	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
1500 III 5000	Part Number	Description	Function Description	Specification
51000	RS-DZ018	L-type base 3pin fork U15	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
I am Init	Part Number	Description	Function Description	Specification
20161 SCAM	RS-DZ019	L-type base 3pin fork U20	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
2584 1 500	Part Number	Description	Function Description	Specification
25884 5586	RS-DZ020	L-type base 3pin fork U25	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
none bit	Part Number	Description	Function Description	Specification
SOME STATES	RS-DZ021	L-type base 3pin fork U30	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
mur I bilt	Part Number	Description	Function Description	Specification
0000	RS-DZ022	L-type base 3pin fork U35	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
1/10 h t com	Part Number	Description	Function Description	Specification
9066	RS-DZ023	L-type base 3pin fork U40	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
and although	Part Number	Description	Function Description	Specification
15000 GSMM	RS-DZ024	L-type base 3pin fork U45	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
5000 10 1 7000	Part Number	Description	Function Description	Specification
17.000 17.000	RS-DZ025	L-type base 3pin fork U50	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)
1	Part Number	Description	Function Description	Specification
COUNTY TOWN	RS-DZ026	L-type base 3pin fork U60	Use for cable branch and locating,lock on the tooling plate with	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be

	Can Co				
3000	Part	Number	Description	Function Description	Specification
	RS-	-DZ027	Circular base fork-U30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM (Special size can be customized)
MANI	Part	Number	Description	Function Description	Specification
	som RS	-DZ028	Circular base fork-6pin		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM (Special size can be customized)
	Part	Number	Description	Function Description	Specification
2000	RS.	-DZ029	Circular base fork-3pin U20	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM (Special size can be customized)
3068	Part	Number	Description	Function Description	Specification
	RS.	-DZ030	Circular base fork-3pin U30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM (Special size can be customized)
	Part	Number	Description	Function Description	Specification
+	50- 11000/ RS-	-DZ031	L-type Fixation pole		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 50, 60, 70, 80, 90, 100, 110 (Special size can be customized)
-	Part	Number	Description	Function Description	Specification
		-DZ032	L-type tape hanging jig		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) (Special size can be customized)
	Part	Number	Description	Function Description	Specification
50-	RS.	-DZ034	L-type fixed bar	Minne	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 50、60、70、80、90、100、110 (Special size can be customized)
+ 2	Part	Number	Description	Function Description	Specification
	0-110MW RS	-DZ035	Circular base fixed bar		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 50、60、70、80、90、100、110 (Special size can be customized)
engs M	Part	Number	Description	Function Description	Specification
	SKINSK	-DZ036	Circular base φ 6MM Terminal fixing jig		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) (Special size can be customized)



AUXILIARY JIGS









RS-FZ012	Cable hanging jig	Material: Nvlon+Stainless steel	



Part Number	Description	Function Description	Specification
RS-FZ013	Terminal withdraw tool		Material: ABS+ steel



Part Number Description Function Description Specification	
--	--

Function Description

Function Description

tube(enhanced type)

Function Description



13-12017	tool(white)



S-FZ018	corrugated pipe tool(black big)



Z018	tool(black,big)

Corrugated pipe

Description

Description



corrugated pipe RS-FZ019 tool(black,small)



Part Number	Description	Function Description	
RS-FZ020	Wire block	Use for Lean	






RS-FZ022	Wire block	Use for Lean tube

Description

Description

Description



Specification

Specification

Specification

Specification



RS-FZ023	Plastic terminal	

cup

Function Description

Function Description

Diameter:38mm	

Specification



RS-FZ024	Plastic term
113-1 2024	

Part Number

Part Number

nal	Use for protecting the terminal	Diameter:50mm



19

27	•



Easier Wiring Harnesses Making

ZATORI	Part Number	Description	Function Description	Specification
1 108	RS-FZ035	Connect buckle	es Jie	Material: iron electroplate (galvanize,nickelage,chromeplate)
The second secon	Part Number	Description	Function Description	Specification
	RS-FZ036	electrical testing table cover board	a Jige	Dimension: 100*50MM
	Part Number	Description	Function Description	Specification
36	RS-FZ037	electrical testing table cover board		Dimension: 100*100MM
1 904	Part Number	Description	Function Description	Specification
	RS-FZ038			
	Part Number	Description	Function Description	Specification
	RS-FZ039	Testing jig	Use for breakover testing	Accordance with the sample custom
	Part Number	Description	Function Description	Specification
ME	RS-FZ040	Plastice clamp	Use for breakover testing	Highth:40mm 60mm
	Part Number	Description	Function Description	Specification
	RS-FZ041	slotted square tube		80*75/103*75 Lenghth: 4m/pcs, Cut the length as required. Material:PVC
	Part Number	Description	Function Description	Specification
	RS-FZ042	Forepart	Use with square tube	Size mating the square tube
	Part Number	Description	Function Description	Specification
	RS-FZ043	brim shield	Use with square tube	Size mating the square tube
- inner	Part Number	Description	Function Description	Specification
	RS-FZ044	End cap	Use with square tube	Size mating the square tube



	Part Number	Description	Function Description	Specification
	RS-FZ045	swerve	Use with square tube	Size mating the square tube
	Part Number	Description	Function Description	Specification
	RS-FZ046	Plastic terminal cup	Housing holder	
-	Part Number	Description	Function Description	Specification
	RS-FZ047	Gum holder		
	Part Number	Description	Function Description	Specification
	RS-FZ048	Cable tie jig		
AA	Part Number	Description	Function Description	Specification
	RS-FZ049	cable tie cutter		- 250
	Part Number	Description	Function Description	Specification
	RS-FZ050	Metal Bend fixture		RS W
0 •	Part Number	Description	Function Description	Specification
	RS-FZ051	M6-M8 Screwc		
	Part Number	Description	Function Description	Specification
	RS-FZ052	Spring bend fork		
	Part Number	Description	Function Description	Specification
	RS-FZ053	vacuum chuck	Use with LED viewing screen	
	Part Number	Description	Function Description	Specification
	RS-FZ054	Cable clamping tool		

